

# EVO MAX<sup>™</sup>





Grafoplast

do it better

PB-CM-01/P1

PB-CM-01/P1

PB-CM-01/P1

R1 R2 R3 R4 R5 R6 R7 R8 R9 R10  
S1 S2 S3 S4 S5 S6 S7 S8 S9 S10



## OVERVIEW

The evolution of SI2K thermal transfer system is called EVOMAX<sup>2</sup>. This Grafoplast™ unique system is recognized for the high levels of quality, reliability and performance, able to enhance the marking of the electrical components at a reasonable cost. You can also print high-resolution logos, barcodes and graphic symbols by creating customized plates lasting over time. Compact size printer, equipped with the new high precision **QC Loading** to optimize operating time and with parametric sensors that allow the consumption optimization and the maximum execution accuracy. The complete range of consumables satisfies all industrial identification needs, from cables, T-blocks and equipment up to the marking of push buttons, name plates, modular strips and customized plates.

## STRENGTHS



Free to choose automatic or manual mode.

The printer is equipped with automatic feeder that can print independently more than 1000 tags for cables or T-blocks with a considerable saving of the operator time. Alternatively it can also work in manual mode to guarantee high flexibility.



Up to 8500 cable tags/h to satisfy even the most demanding requests;

High resolution print (300 dpi) in black or colors with special resin base ribbons to ensure precise and long lasting marking.



Immediately ready for use even after a long period of inactivity.

It requires minimal maintenance thanks to the integrated cleaning set and the quick change of the ribbon makes the use very simple. The tags to be printed are assembled in modules to be easily and quickly inserted in the printer.

## TECHNICAL SPECIFICATIONS

<b>Type</b>	Desktop Industrial printer
<b>Technology</b>	Thermal Transfer
<b>Loading</b>	Automatic and manual
<b>Resolution</b>	300 dpi
<b>Printable area</b>	54x496 mm (h x l)
<b>Max printing area</b>	80 x 500 mm (h x l)
<b>Dimensions</b>	423 x 240 x 208 mm
<b>Weight</b>	9,5 Kg
<b>Compatible with operating systems</b>	Windows XP (64bit), Vista, 7, Win 8 e 10
<b>Compatible with graphics format</b>	.gif, .jpg, .jpeg, .bmp, .wmf.
<b>Print Speed</b>	Up to 60 mm/s
<b>Ribbons</b>	black, red, silver, gold, white, blue, green
<b>Cleaning Set</b>	Cleaning roller and cleaning cassette
<b>Interface</b>	USB
<b>Operating Conditions</b>	from +15°C to +32,5°C; from 10% to 85% Rh
<b>Supply</b>	from 100V to 240V AC, 50/60Hz
<b>Display</b>	backlight LCD



## HOW IT IS EQUIPPED EVOMAX<sup>2</sup>



## HOW IT IS EQUIPPED EVOMAX<sup>2</sup> BASIC



## TAGS FOR CABLES



These tags in polycarbonate are used to identify cables, compatible with sleeves and holders for cable tags. Available in grey, orange, blue and green. Please go to Sleeves & Tools chapter.

DIMENSIONS	PACKAGE	WHITE		YELLOW		RED
		STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE	STANDARD
10 x 4 mm	1152 pcs	SI2K02W/10N	SI2K02W/10NHF	SI2K02Y/10N	SI2K02Y/10NHF	SI2K02R/10N
12 x 4 mm	960 pcs	SI2K02W/12N	SI2K02W/12NHF	SI2K02Y/12N	SI2K02Y/12NHF	SI2K02R/12N
15 x 4 mm	768 pcs	SI2K02W/15N	SI2K02W/15NHF	SI2K02Y/15N	SI2K02Y/15NHF	SI2K02R/15N
18 x 4 mm	576 pcs	SI2K02W/18N	SI2K02W/18NHF	SI2K02Y/18N	SI2K02Y/18NHF	SI2K02R/18N
30 x 4 mm	600 pcs	SI2K02W/30*	SI2K02W/30HF*	SI2K02Y/30*	SI2K02Y/30HF*	SI2K02R/30*

Industrial Automation	Industrial Plant	Industrial Wiring	Civil System
-----------------------	------------------	-------------------	--------------


  

Plate NP1  
(included)

0



Grafoplast

**MC** If you add MC at the end of the item code, you will receive the Maxi PACKAGE + convenient






**FLAT TAGS  
FOR CABLES**



These flat cable tags are used for identification of cables and conductors. They can be inserted into the SLIM sleeves of the 500 Series. Available in metal, orange, blue and green. Please go to page 63 to see 500 Series Sleeves.

For further information:  
 sales@grafoplast.it  
 +39 0131 718477



DIMENSIONS	PACKAGE	WHITE	YELLOW	RED
10 x 4 mm	2464 pcs	EVOCT10W	EVOCT10Y	EVOCT10R
12 x 4 mm	2156 pcs	EVOCT12W	EVOCT12Y	EVOCT12R
15 x 4 mm	1848 pcs	EVOCT15W	EVOCT15Y	EVOCT15R
18 x 4 mm	1540 pcs	EVOCT18W	EVOCT18Y	EVOCT18R
23 x 4 mm	1540 pcs	EVOCT23W	EVOCT23Y	EVOCT23R
30 x 4 mm	1232 pcs	EVOCT30W	EVOCT30Y	EVOCT30R
Industrial Automation		Industrial Plant		Civil System



## WIRE MARKING TAGS

These tags are designed to be fitted directly on the wire; the circular portion of the tag anchors the marker.

Available in grey, orange, blue and green.



DIMENSIONS	PACKAGE	Ø EXTERNAL	WHITE		YELLOW		RED
			STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE	STANDARD
4 x 10 mm	990 pcs	0.6 ÷ 3.2 mm	SI2KTM01W/10	SI2KTM01W/10HF	SI2KTM01Y/10	SI2KTM01Y/10HF	SI2KTM01R/10
4 x 10 mm	726 pcs	1.0 ÷ 3.8 mm	SI2KTM02W/10	SI2KTM02W/10HF	SI2KTM02Y/10	SI2KTM02Y/10HF	SI2KTM02R/10


Industrial Automation

Industrial Plant


Industrial Wiring

Civil System

Plate NP3




**MC** If you add MC at the end of the item code, you will receive the Maxi PACKAGE + convenient



## TAGS FOR CONTACTORS

These tags are applied thanks to the quick joint on the component.

Available in grey, orange, blue and green.



DIMENSIONS	PACKAGE	COMPATIBILITY	WHITE		YELLOW		RED
			STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE	STANDARD
20 x 7 mm	256 pcs	ABB, SIEMENS	SI2KAF35GW	SI2KAF35GWHF	SI2KAF35GY	SI2KAF35GYHF	SI2KAF35GR



Industrial Automation

Industrial Plant

Industrial Wiring

Civil System

Plate NP7



## WRAP AROUND LABELS FOR CABLES



The labels are composed of two parts: one writable to be fixed on the cable and one transparent to be wrapped on and to protect the writing. They allow the identification of cables and sheaths, also of large diameters.

For further information:  
 sales@grafoplast.it  
 +39 0131 718477



DIMENSIONS (AxB)	PACKAGE	Ø WIRE	PRINTING AREA (BxC)	WHITE	YELLOW
22 x 13 mm	1000 pcs	1,60 ÷ 3,00	13 x 9,5	EVOSL022013W	EVOSL022013Y
27 x 13 mm	800 pcs	2,40 ÷ 4,60	13 x 9,5	EVOSL027013W	EVOSL027013Y
34 x 13 mm	600 pcs	2,90 ÷ 5,70	13 x 13	EVOSL034013W	EVOSL034013Y
42 x 13 mm	500 pcs	4,20 ÷ 8,20	13 x 13	EVOSL042013W	EVOSL042013Y
52 x 20 mm	300 pcs	5,90 ÷ 11,70	20 x 12	EVOSL052020W	EVOSL052020Y
72 x 25.5 mm	150 pcs	6,90 ÷ 13,80	25,5 x 25,5	EVOSL072025W	EVOSL072025Y
107 x 25.5 mm	100 pcs	12,50 ÷ 25,00	25,5 x 25,5	EVOSL107025W	EVOSL107025Y
192 x 25.5 mm	50 pcs	22,10 ÷ 44,20	25,5 x 50	EVOSL192025W	EVOSL192025Y
192 x 50 mm	25 pcs	22,10 ÷ 44,20	50 x 50	EVOSL192050W	EVOSL192050Y

Industrial Automation

Industrial Plant

Industrial Wiring


Civil System






## TAGS FOR CABLE TIES

They are used to identify cables bundles or sheaths; the different colors allow to distinguish the type according to the needs. Please go to page {\$} to see the ties




DIMENSIONS	PACKAGE	WHITE	GREY	YELLOW	ORANGE	RED	BLUE	GREEN
54 x 11 mm	200 pcs	SI2K030W	SI2K030E	SI2K030Y	SI2K030O	SI2K030R	SI2K030U	SI2K030G



DIMENSIONS	PACKAGE	WHITE	METAL	YELLOW	ORANGE	RED	BLUE	GREEN
25 x 10 mm	720 pcs	EVOCT1025W	EVOCT1025M	EVOCT1025Y	EVOCT1025O	EVOCT1025R	EVOCT1025U	EVOCT1025G
60 x 10 mm	270 pcs	EVOCT1060W	EVOCT1060M	EVOCT1060Y	EVOCT1060O	EVOCT1060R	EVOCT1060U	EVOCT1060G
70 x 10 mm	270 pcs	EVOCT1070W	EVOCT1070M	EVOCT1070Y	EVOCT1070O	EVOCT1070R	EVOCT1070U	EVOCT1070G
80 x 10 mm	180 pcs	EVOCT1080W	EVOCT1080M	EVOCT1080Y	EVOCT1080O	EVOCT1080R	EVOCT1080U	EVOCT1080G
25 x 15 mm	432 pcs	EVOCT1525W	EVOCT1525M	EVOCT1525Y	EVOCT1525O	EVOCT1525R	EVOCT1525U	EVOCT1525G
60 x 15 mm	162 pcs	EVOCT1560W	EVOCT1560M	EVOCT1560Y	EVOCT1560O	EVOCT1560R	EVOCT1560U	EVOCT1560G
70 x 15 mm	162 pcs	EVOCT1570W	EVOCT1570M	EVOCT1570Y	EVOCT1570O	EVOCT1570R	EVOCT1570U	EVOCT1570G
80 x 15 mm	108 pcs	EVOCT1580W	EVOCT1580M	EVOCT1580Y	EVOCT1580O	EVOCT1580R	EVOCT1580U	EVOCT1580G
25 x 25 mm	576 pcs	EVOCT2525W	EVOCT2525M	EVOCT2525Y	EVOCT2525O	EVOCT2525R	EVOCT2525U	EVOCT2525G
60 x 25 mm	216 pcs	EVOCT2560W	EVOCT2560M	EVOCT2560Y	EVOCT2560O	EVOCT2560R	EVOCT2560U	EVOCT2560G
70 x 25 mm	216 pcs	EVOCT2570W	EVOCT2570M	EVOCT2570Y	EVOCT2570O	EVOCT2570R	EVOCT2570U	EVOCT2570G
80 x 25 mm	144 pcs	EVOCT2580W	EVOCT2580M	EVOCT2580Y	EVOCT2580O	EVOCT2580R	EVOCT2580U	EVOCT2580G
		Industrial Automation		Industrial Plant		Industrial Wiring		Civil System





**STRIPS FOR T-BLOCKS**

A fast and cheap solution to mark T-Blocks.

For further information:  
 sales@grafoplast.it  
 +39 0131 718477

DIMENSIONS	PACKAGE	COMPATIBILITY	WHITE	YELLOW	#
105 x 4 mm	176 pcs	Printed circuit and other components	EVOS04105W	EVOS04105Y	
105 x 5.2 mm	220 pcs	Entrelec series D e ADO	EVOS05105W	EVOS05105Y	
105 x 6.3 mm	220 pcs	Phoenix Series ST	EVOS06105W	EVOS06105Y	
105 x 7 mm	132 pcs	Wago 260, 261, 262	EVOS07105W	EVOS07105Y	
105 x 7.6 mm	132 pcs	Entrelec M6/9EE (front marking)	EVOS08105W	EVOS08105Y	
105 x 8.8 mm	132 pcs	Wieland WTP	EVOS09105W	EVOS09105Y	
105 x 10 mm	132 pcs	Entrelec M6/9EE (side marking)	EVOS10105W	EVOS10105Y	
105 x 11 mm	132 pcs	ILME multipolar connectors; Wago T-Blocks 280, Entrelec series D e ADO	EVOS11105W	EVOS11105Y	
130 x 6.3 mm	60 pcs	Phoenix Serie ST	SI2K06130W	-	
130 x 11 mm	60 pcs	ILME multipolar connectors; Wago T-Blocks 280, Entrelec series D e ADO	SI2K11130W	-	
155 x 11 mm	60 pcs	ILME multipolar connectors; Wago T-Blocks 280, Entrelec series D e ADO	SI2K11155W	-	
205 x 11 mm	60 pcs	ILME multipolar connectors; Wago T-Blocks 280, Entrelec series D e ADO	SI2K11205W	-	
105 x 4 mm	176 pcs	Printed circuit and other components	EVOS404105W	EVOS404105Y	
105 x 10 mm	132 pcs	Entrelec M6/9EE (side marking)	EVOS410105W	EVOS410105Y	
105 x 12 mm	132 pcs	Entrelec SNK	EVOS412105W	EVOS412105Y	
105 x 4 mm	200 pcs	Printed circuit and other components	EVOSFX04105W	EVOSFX04105Y	
105 x 5.2 mm	200 pcs	Weidmuller SAK	EVOSFX05105W	EVOSFX05105Y	
105 x 7 mm	200 pcs	Wago 260, 261, 262	EVOSFX07105W	EVOSFX07105Y	
105 x 7.6 mm	200 pcs	Entrelec M6/9EE (front marking)	EVOSFX08105W	EVOSFX08105Y	
105 x 10 mm	120 pcs	Printed circuit and other components	EVOSFX10105W	EVOSFX10105Y	


Industrial Automation      Industrial Plant      Industrial Wiring      Civil System




## TAGS FOR T-BLOCKS

### SINGLE FEEDER

The TB tags in polycarbonate can be easily and quickly applied. Available in red, grey, orange, blue and green version. Only white and yellow are available in halogen free version.



DIMENSIONS	PACKAGE	SECTION mm <sup>2</sup>	PITCH mm	COMPATIBILITY*	WHITE		YELLOW	
					STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE
9 x 3 mm	900 pcs	1.5	3.5	Phoenix, Siemens	SI2KTB3509EW	SI2KTB3509EWHF	SI2KTB3509EY	SI2KTB3509EYHF
9 x 3 mm	900 pcs	1.5	3.5	Weidmüller, Wago	SI2KTB3509LW	SI2KTB3509LWHF	SI2KTB3509LY	SI2KTB3509LYHF
10 x 3 mm	900 pcs	1.5	3.5	Phoenix, Wago, Siemens	SI2KTB3510CW	SI2KTB3510CWHF	SI2KTB3510CY	SI2KTB3510CYHF
10 x 3 mm	900 pcs	1.5	3.5	Weidmüller, Wago	SI2KTB3510LW	SI2KTB3510LWHF	SI2KTB3510LY	SI2KTB3510LYHF
10 x 3 mm	900 pcs	1.5	3.5	Weidmüller, Wago	SI2KTB3510LWK	SI2KTB3510LWKHF	SI2KTB3510LYK	SI2KTB3510LYKHF
9.1 x 3 mm	900 pcs	1.5	3.5	Wieland	SI2KTB3590DW	SI2KTB3590DWHF	SI2KTB3590DY	SI2KTB3590DYHF
10 x 5 mm	540 pcs	2.5	5.1	Weidmüller, Morsetitalia, Conaclip, Klemsan, Wago	SI2KTB5010LWK	SI2KTB5010LWKHF	SI2KTB5010LYK	SI2KTB5010LYKHF
10 x 5 mm	540 pcs	2.5	5.1	Weidmüller	SI2KTB5010LW	SI2KTB5010LWHF	SI2KTB5010LY	SI2KTB5010LYHF
8.5 x 4.65 mm	540 pcs	2.5	5	Wieland	SI2KTB5085DW	SI2KTB5085DWHF	SI2KTB5085DY	SI2KTB5085DYHF
9 x 5 mm	540 pcs	2.5	5.2	Phoenix	SI2KTB5209EW	SI2KTB5209EWHF	SI2KTB5209EY	SI2KTB5209EYHF
10 x 5 mm	540 pcs	2.5	5.2	Phoenix, Wago, ABB Entrellec	SI2KTB5210CW	SI2KTB5210CWHF	SI2KTB5210CY	SI2KTB5210CYHF
10 x 5 mm	540 pcs	4	6	Legrand, Wieland, Telemecanique	SI2KTB6010DW	SI2KTB6010DWHF	SI2KTB6010DY	SI2KTB6010DYHF
9 x 5 mm	540 pcs	4	6	Rockwell Automation, Woertz	SI2KTB6010HW	SI2KTB6010HWHF	SI2KTB6010HY	SI2KTB6010HYHF
8.5 x 5.5 mm	540 pcs	4	6	Wieland	SI2KTB6085DW	SI2KTB6085DWHF	SI2KTB6085DY	SI2KTB6085DYHF
10 x 5 mm	420 pcs	4	6.5	Siemens	SI2KTB6510GW	SI2KTB6510GWHF	SI2KTB6510GY	SI2KTB6510GYHF
12 x 5 mm	420 pcs	4	6.5	Cabur	SI2KTB6512BW	SI2KTB6512BWHF	SI2KTB6512BY	SI2KTB6512BYHF
8.5 x 7.5 mm	300 pcs	6	8	Wieland	SI2KTB8085DW	SI2KTB8085DWHF	SI2KTB8085DY	SI2KTB8085DYHF



Industrial Automation


Industrial Plant

Industrial Wiring

Civil System


\*For deepest information please check the T-Block compatibility table at the end of catalogue.

**MC** If you add MC at the end of the item code, you will receive the Maxi PACKAGE + convenient





## TAGS FOR T-BLOCKS AUTOMATIC FEEDER



The AF tags in polycarbonate can be printed with automatic feeder ideal for big quantity.  
Available in red, grey, orange, blue and green version.  
Only white and yellow are available in halogen free version.


For further information:  
 sales@grafoplast.it  
 +39 0131 718477

DIMENSIONS	PACKAGE	SECTION mm <sup>2</sup>	PITCH mm	COMPATIBILITY*	WHITE	YELLOW	RED	PLATE
10 x 5 mm	1056 pcs	2.5	5.2	Wago 280 Phoenix Contact Entrelec, Arnocanali	SI2KAF5010CW	SI2KAF5010CY	SI2KAF5010CR	NP2
10 x 5 mm	1056 pcs	2.5	5.2	Weidmüller, Contaclip Morsetitalia, Klemsan Wago 870	SI2KAF5010LWK	SI2KAF5010LYK	SI2KAF5010LRK	NP4
10 x 5 mm	1056 pcs	2.5	5	ABB Entrelec Series M, D, ADO	SI2KAF5010RW	SI2KAF5010RY	SI2KAF5010RR	NP5
10 x 5 mm	990 pcs	2.5	5.2	Wago Top Job	SI2KAF5210NW	SI2KAF5210NY	SI2KAF5210NR	NP4
12 x 5 mm	990 pcs	4	5.2	ABB Entrelec Series ZS	SI2KAF5212SW	SI2KAF5212SY	SI2KAF5212SR	NP6
10 x 6 mm	858 pcs	2.5	5.5	Cabur	SI2KAF6010BW	SI2KAF6010BY	SI2KAF6010BR	NP5
10 x 6 mm	858 pcs	4	6	ABB Entrelec Series M, D, ADO	SI2KAF6010RW	SI2KAF6010RY	SI2KAF6010RR	NP6
12 x 6 mm	858 pcs	6	6	ABB Entrelec Series ZS	SI2KAF6012SW	SI2KAF6012SY	SI2KAF6012SR	NP6
10 x 8 mm	660 pcs	6	8	ABB Entrelec Series M, D, ADO	SI2KAF8010RW	SI2KAF8010RY	SI2KAF8010RR	NP6
12 x 8 mm	660 pcs	10	8	ABB Entrelec Series ZS	SI2KAF8012SW	SI2KAF8012SY	SI2KAF8012SR	NP6

Industrial Automation      Industrial Plant      Industrial Wiring      Civil System

\*For deepest information please check the T-Block compatibility table at the end of catalogue.

**MC** If you add MC at the end of the item code, you will receive the Maxi PACKAGE + convenient



## PLC SIEMENS TAGS

These tags allow the identification of all PLC Siemens.  
They can easily replace the existing ones.

Available colors: Siemens - White - Yellow

DIMENSIONS	PACKAGE	WHITE	YELLOW	SIEMENS
12.7 x 109 mm	88 pcs	EVOPS13109W	EVOPS13109Y	EVOPS13109S
12.7 x 31 mm	264 pcs	EVOPS1331W	EVOPS1331Y	EVOPS1331S
12.75 x 50 mm	176 pcs	EVOPS1350W	EVOPS1350Y	EVOPS1350S
17.3 x 103.5 mm	66 pcs	EVOPS17103W	EVOPS17103Y	EVOPS17103S
17.5 x 52 mm	132 pcs	EVOPS1752W	EVOPS1752Y	EVOPS1752S
22.5 x 103.5 mm	44 pcs	EVOPS22103W	EVOPS22103Y	EVOPS22103S
22 x 38 mm	110 pcs	EVOPS2238W	EVOPS2238Y	EVOPS2238S
22.75 x 109 mm	44 pcs	EVOPS23109W	EVOPS23109Y	EVOPS23109S
25.5 x 50 mm	88 pcs	EVOPS2550W	EVOPS2550Y	EVOPS2550S
52 x 80 mm	33 pcs	EVOPS5280W	EVOPS5280Y	EVOPS5280S

Industrial Automation

Industrial Plant

Industrial Wiring

Civil System

PVC

THICKNESS



0.3 mm

+50°C

-10°C

CEI 16-7

ISO 4892-2



# TAGS FOR ENTRY-PHONE

They can easily replace the existing ones. They guarantee a more long lasting time and UV resistance


DIMENSIONS		PACKAGE		OPAL WHITE	
	64 x 12 mm		198 pcs	EVO1264A	
	64 x 16 mm		162 pcs	EVO1664A	
	71 x 22 mm		108 pcs	EVO2271A	
	62 x 23 mm		108 pcs	EVO2362A	
	79 x 81 mm		48 pcs	EVO7981A	

Industrial Automation	Industrial Plant	Industrial Wiring	Civil System
-----------------------	------------------	-------------------	--------------

	<b>THICKNESS</b> 0.3 mm 	 +50°C -10°C	<b>CEI</b> 16-7	<b>ISO</b> 4892-2
--	--------------------------------	--------------------	--------------------	----------------------



EVOMAX<sup>2</sup> - Thermal transfer system



## TAGS FOR PUSH BUTTONS/CHANNELS ADHESIVE

They can be applied with tags holder or directly with the adhesive placed on the back. Please go to page {\$} to see Tag Holders.


DIMENSIONS	PACKAGE	Ø HOLE	WHITE	METAL	YELLOW	ORANGE	RED	BLUE	GREEN
27 x 8 mm	440 pcs	-	EVO40827W	EVO40827M	EVO40827Y	EVO40827O	EVO40827R	EVO40827U	EVO40827G
17 x 10 mm	1080 pcs	-	EVO41017W	EVO41017M	EVO41017Y	EVO41017O	EVO41017R	EVO41017U	EVO41017G
27 x 10 mm	630 pcs	-	EVO41027W	EVO41027M	EVO41027Y	EVO41027O	EVO41027R	EVO41027U	EVO41027G
50 x 10 mm	360 pcs	-	EVO41050W	EVO41050M	EVO41050Y	EVO41050O	EVO41050R	EVO41050U	EVO41050G
67 x 10 mm	270 pcs	-	EVO41067W	EVO41067M	EVO41067Y	EVO41067O	EVO41067R	EVO41067U	EVO41067G
17 x 15 mm	396 pcs	-	EVO41517W	EVO41517M	EVO41517Y	EVO41517O	EVO41517R	EVO41517U	EVO41517G
27 x 15 mm	264 pcs	-	EVO41527W	EVO41527M	EVO41527Y	EVO41527O	EVO41527R	EVO41527U	EVO41527G
50 x 15 mm	132 pcs	-	EVO41550W	EVO41550M	EVO41550Y	EVO41550O	EVO41550R	EVO41550U	EVO41550G
67 x 15 mm	99 pcs	-	EVO41567W	EVO41567M	EVO41567Y	EVO41567O	EVO41567R	EVO41567U	EVO41567G
27 x 18 mm	288 pcs	-	EVO41827W	EVO41827M	EVO41827Y	EVO41827O	EVO41827R	EVO41827U	EVO41827G
17 x 20 mm	528 pcs	-	EVO42017W	EVO42017M	EVO42017Y	EVO42017O	EVO42017R	EVO42017U	EVO42017G
27 x 20 mm	352 pcs	-	EVO42027W	EVO42027M	EVO42027Y	EVO42027O	EVO42027R	EVO42027U	EVO42027G
50 x 20 mm	176 pcs	-	EVO42050W	EVO42050M	EVO42050Y	EVO42050O	EVO42050R	EVO42050U	EVO42050G
67 x 20 mm	132 pcs	-	EVO42067W	EVO42067M	EVO42067Y	EVO42067O	EVO42067R	EVO42067U	EVO42067G
80 x 25 mm	108 pcs	-	EVO42580W	EVO42580M	EVO42580Y	EVO42580O	EVO42580R	EVO42580U	EVO42580G
27 x 27 mm	288 pcs	-	EVO42727W	EVO42727M	EVO42727Y	EVO42727O	EVO42727R	EVO42727U	EVO42727G
40 x 30 mm	440 pcs	22.5 mm	EVO4404W	EVO4404M	EVO4404Y	EVO4404O	EVO4404R	EVO4404U	EVO4404G
50 x 50 mm	176 pcs	24.5 mm	EVO4408W	EVO4408M	EVO4408Y	EVO4408O	EVO4408R	EVO4408U	EVO4408G
50 x 50 mm	176 pcs	30.5 mm	EVO4412W	EVO4412M	EVO4412Y	EVO4412O	EVO4412R	EVO4412U	EVO4412G

Industrial Automation

Industrial Plant

Industrial Wiring

Civil System



## TAGS FOR PUSH BUTTONS/CHANNELS NON ADHESIVE



For further information:

sales@grafoplast.it

+39 0131 718477


DIMENSIONS	PACKAGE	Ø HOLE	WHITE	METAL	YELLOW	ORANGE	RED	BLUE	GREEN	SUGGESTED HOLDER
27 x 8 mm	440 pcs	-	EVO0827W	EVO0827M	EVO0827Y	EVO0827O	EVO0827R	EVO0827U	EVO0827G	Channel SIT0B10/ Page 70
15 x 10 mm	1080 pcs	-	EVO1015W	EVO1015M	EVO1015Y	EVO1015O	EVO1015R	EVO1015U	EVO1015G	Channel SIT0B10/ Page 70
17 x 10 mm	1080 pcs	-	EVO1017W	EVO1017M	EVO1017Y	EVO1017O	EVO1017R	EVO1017U	EVO1017G	Channel SIT0B10/ Page 70
20 x 10 mm	900 pcs	-	EVO1020W	EVO1020M	EVO1020Y	EVO1020O	EVO1020R	EVO1020U	EVO1020G	Channel SIT0B10/ Page 70
27 x 10 mm	630 pcs	-	EVO1027W	EVO1027M	EVO1027Y	EVO1027O	EVO1027R	EVO1027U	EVO1027G	Channel SIT0B10/ Page 70
50 x 10 mm	360 pcs	-	EVO1050W	EVO1050M	EVO1050Y	EVO1050O	EVO1050R	EVO1050U	EVO1050G	Channel SIT0B10/ Page 70
67 x 9 mm	330 pcs	-	EVO0967W	EVO0967M	EVO0967Y	EVO0967O	EVO0967R	EVO0967U	EVO0967G	SIT0970 Page \$
67 x 10 mm	270 pcs	-	EVO1067W	EVO1067M	EVO1067Y	EVO1067O	EVO1067R	EVO1067U	EVO1067G	Channel SIT0B10/ Page 70
17 x 15 mm	396 pcs	-	EVO1517W	EVO1517M	EVO1517Y	EVO1517O	EVO1517R	EVO1517U	EVO1517G	Channel SIT0B15/ Page 70
27 x 15 mm	264 pcs	-	EVO1527W	EVO1527M	EVO1527Y	EVO1527O	EVO1527R	EVO1527U	EVO1527G	SIT0A06 - SIT0B05 Page 69
35 x 15 mm	198 pcs	-	EVO1535W	EVO1535M	EVO1535Y	EVO1535O	EVO1535R	EVO1535U	EVO1535G	SIT0004X050 Page {\$}
50 x 15 mm	132 pcs	-	EVO1550W	EVO1550M	EVO1550Y	EVO1550O	EVO1550R	EVO1550U	EVO1550G	SIT0A07 Page 69
67 x 15 mm	99 pcs	-	EVO1567W	EVO1567M	EVO1567Y	EVO1567O	EVO1567R	EVO1567U	EVO1567G	SIT0A08 Page 69
27 x 16 mm	252 pcs	-	EVO1627W	EVO1627M	EVO1627Y	EVO1627O	EVO1627R	EVO1627U	EVO1627G	Allen Bradley Serie 800F-200
27 x 18 mm	288 pcs	-	EVO1827W	EVO1827M	EVO1827Y	EVO1827O	EVO1827R	EVO1827U	EVO1827G	Telemecanique
17 x 20 mm	528 pcs	-	EVO2017W	EVO2017M	EVO2017Y	EVO2017O	EVO2017R	EVO2017U	EVO2017G	Channel SIT0B20/ Page 70
27 x 20 mm	352 pcs	-	EVO2027W	EVO2027M	EVO2027Y	EVO2027O	EVO2027R	EVO2027U	EVO2027G	Channel SIT0B20/ Page 70
50 x 20 mm	176 pcs	-	EVO2050W	EVO2050M	EVO2050Y	EVO2050O	EVO2050R	EVO2050U	EVO2050G	Channel SIT0B20/ Page 70
67 X 20 mm	132 pcs	-	EVO2067W	EVO2067M	EVO2067Y	EVO2067O	EVO2067R	EVO2067U	EVO2067G	Channel SIT0B20/ Page 70
27 x 27 mm	288 pcs	-	EVO2727W	EVO2727M	EVO2727Y	EVO2727O	EVO2727R	EVO2727U	EVO2727G	SIT0B08 Page 69
40 x 30 mm	440 pcs	22.5 mm	EVO404W	EVO404M	EVO404Y	EVO404O	EVO404R	EVO404U	EVO404G	-
50 x 50 mm	176 pcs	24.5 mm	EVO408W	EVO408M	EVO408Y	EVO408O	EVO408R	EVO408U	EVO408G	-
50 x 50 mm	176 pcs	30.5 mm	EVO412W	EVO412M	EVO412Y	EVO412O	EVO412R	EVO412U	EVO412G	-

Industrial Automation

Industrial Plant

Industrial Wiring

Civil System



## ADHESIVE PVC TAGS

These tags are suitable for equipment identification inside the panel.  
Also available metal version.

DIMENSIONS	PACKAGE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN
20 x 7 mm	1260 pcs	EVO40720W	EVO40720Y	EVO40720O	EVO40720R	EVO40720U	EVO40720G
25 x 7 mm	880 pcs	EVO40725W	EVO40725Y	EVO40725O	EVO40725R	EVO40725U	EVO40725G
17 x 8 mm	1320 pcs	EVO40817W	EVO40817Y	EVO40817O	EVO40817R	EVO40817U	EVO40817G
17 x 9 mm	1080 pcs	EVO40917W	EVO40917Y	EVO40917O	EVO40917R	EVO40917U	EVO40917G
20 x 9 mm	900 pcs	EVO40920W	EVO40920Y	EVO40920O	EVO40920R	EVO40920U	EVO40920G
35 x 9 mm	540 pcs	EVO40935W	EVO40935Y	EVO40935O	EVO40935R	EVO40935U	EVO40935G
25 x 10 mm	720 pcs	EVO41025W	EVO41025Y	EVO41025O	EVO41025R	EVO41025U	EVO41025G

Industrial Automation      Industrial Plant      Industrial Wiring      Civil System

## NON ADHESIVE PVC TAGS

DIMENSIONS	PACKAGE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN	SUGGESTED HOLDER
10 x 6 mm	2200 pcs	EVO0610W	EVO0610Y	EVO0610O	EVO0610R	EVO0610U	EVO0610G	TGNBA - pag. nd.
20 x 7 mm	1260 pcs	EVO0720W	EVO0720Y	EVO0720O	EVO0720R	EVO0720U	EVO0720G	-
30 x 7 mm	770 pcs	EVO0730W	EVO0730Y	EVO0730O	EVO0730R	EVO0730U	EVO0730G	Weidmuller serie WKM
46 x 7 mm	550 pcs	EVO0746W	EVO0746Y	EVO0746O	EVO0746R	EVO0746U	EVO0746G	Wago I/O 750
27 x 8 mm	420 pcs	EVO0827W	EVO0827Y	EVO0827O	EVO0827R	EVO0827U	EVO0827G	SIT0B09 - pag. nd.
20 x 9 mm	900 pcs	EVO0920W	EVO0920Y	EVO0920O	EVO0920R	EVO0920U	EVO0920G	Channel 160 - pag. nd.
35 x 9 mm	540 pcs	EVO0935W	EVO0935Y	EVO0935O	EVO0935R	EVO0935U	EVO0935G	Channel 160 - pag. nd.
20 x 9,3 mm	900 pcs	EVO1001W	EVO1001Y	EVO1001O	EVO1001R	EVO1001U	EVO1001G	Sleeve SI1001

Industrial Automation      Industrial Plant      Industrial Wiring      Civil System





## ELECTRICAL COMPONENT TAGS

Also available metal version.

For further information:  
 sales@grafoplast.it  
 +39 0131 718477

DIMENSIONS	PACKAGE	Ø HOLE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN
38 x 19 mm	440 pcs	Ø hole 8 mm	EVOCTR1938W	EVOCTR1938Y	EVOCTR1938O	EVOCTR1938R	EVOCTR1938U	EVOCTR1938G
20 x 20 mm	880 pcs	Ø hole 5 mm	EVOCTR2020W	EVOCTR2020Y	EVOCTR2020O	EVOCTR2020R	EVOCTR2020U	EVOCTR2020G
39 x 21 mm	440 pcs	Ø hole 12.7 mm	EVOCTR2139W	EVOCTR2139Y	EVOCTR2139O	EVOCTR2139R	EVOCTR2139U	EVOCTR2139G
50 x 25 mm	288 pcs	Ø hole 5 mm	EVOCTR2550W	EVOCTR2550Y	EVOCTR2550O	EVOCTR2550R	EVOCTR2550U	EVOCTR2550G
100 x 40 mm	88 pcs	Ø hole 5 mm	EVOCTR40100W	EVOCTR40100Y	EVOCTR40100O	EVOCTR40100R	EVOCTR40100U	EVOCTR40100G
107 x 52 mm	88 pcs	Ø hole 6.5 mm	EVOCTR52107W	EVOCTR52107Y	EVOCTR52107O	EVOCTR52107R	EVOCTR52107U	EVOCTR52107G
100 x 60 mm	22 pcs	Ø hole 5 mm	EVOCTR60100W	EVOCTR60100Y	EVOCTR60100O	EVOCTR60100R	EVOCTR60100U	EVOCTR60100G
Ø 20 mm	308 pcs	Ø hole 5 mm	EVOCTR20W	EVOCTR20Y	EVOCTR20O	EVOCTR20R	EVOCTR20U	EVOCTR20G
Ø 25 mm	180 pcs	Ø hole 5 mm	EVOCTR25W	EVOCTR25Y	EVOCTR25O	EVOCTR25R	EVOCTR25U	EVOCTR25G
Ø 35 mm	220 pcs	Ø hole 4 mm	EVOCTR35W	EVOCTR35Y	EVOCTR35O	EVOCTR35R	EVOCTR35U	EVOCTR35G
Ø 10 mm	600 pcs	-	EVOCTRFX10W	EVOCTRFX10Y	-	-	-	-
Ø 15 mm	600 pcs	-	EVOCTRFX15W	EVOCTRFX15Y	-	-	-	-
Ø 20 mm	400 pcs	-	EVOCTRFX20W	EVOCTRFX20Y	-	-	-	-
Ø 25 mm	400 pcs	-	EVOCTRFX25W	EVOCTRFX25Y	-	-	-	-

Industrial Automation      Industrial Plant      Industrial Wiring      Civil System

















## METALCRILATE TAGS

Ideal to identify external panel, adhesive and non adhesive.  
 High quality and long lasting resistance.

DIMENSIONS	PACKAGE	TYPE	N° OF HOLES	WHITE	YELLOW	METAL	#
70 x 30 mm	20 pcs	adhesive	4	SI2K301W	SI2K301Y	SI2K301M	
90 x 40 mm	15 pcs	adhesive	4	SI2K401W	SI2K401Y	SI2K401M	
100 x 60 mm	15 pcs	adhesive	4	SI2K601W	SI2K601Y	SI2K601M	
27 x 15 mm	192 pcs	non adhesive	-	SI2K201W	SI2K201Y	SI2K201M	
50 x 15 mm	96 pcs	non adhesive	-	SI2K202W	SI2K202Y	SI2K202M	
67 x 15 mm	96 pcs	non adhesive	-	SI2K203W	SI2K203Y	SI2K203M	
50 x 15 mm	96 pcs	Ø hole 3.2 mm	2	SI2KT1550B/W	-	-	Note: can be printed on both sides.  B = BLACK W = WHITE
80 x 25 mm	48 pcs	Ø hole 3.2 mm	2	SI2KT2580B/W	-	-	
80 x 25 mm	48 pcs	Ø hole 8 mm	2	SI2KT2580B/W2	-	-	
190 x 29 mm	12 pcs	Ø hole 3.2 mm	2	SI2KT29190B/W	-	-	
120 x 30 mm	50 pcs	Ø hole 3.5 mm	4	SI2KT30120B/W	-	-	
50 x 35 mm	72 pcs	Ø hole 3.2 mm	2	SI2KT3550B/W	-	-	
180 x 50 mm	30 pcs	Ø hole 3.5 mm	2	SI2KT50180B/W	-	-	

Industrial Automation      Industrial Plant      Industrial Wiring      Civil System

# VINYL LABELS

Suitable for the equipment identification inside the panel, they ensure a good adherence to curved surfaces.  
Please contact sales dept. for availability in other coloured versions.




DIMENSIONS		PACKAGE	WHITE	YELLOW	METAL
12 x 5 mm		2400 pcs	EVOFX0512W	EVOFX0512Y	EVOFX0512M
25 x 5 mm		1400 pcs	EVOFX0525W	EVOFX0525Y	EVOFX0525M
15 x 6 mm		2240 pcs	EVOFX0615W	EVOFX0615Y	EVOFX0615M
10 x 7 mm		2800 pcs	EVOFX0710W	EVOFX0710Y	EVOFX0710M
15 x 7 mm		1820 pcs	EVOFX0715W	EVOFX0715Y	EVOFX0715M
20 x 7 mm		1400 pcs	EVOFX0720W	EVOFX0720Y	EVOFX0720M
12 x 8 mm		1600 pcs	EVOFX0812W	EVOFX0812Y	EVOFX0812M
17 x 8 mm		1200 pcs	EVOFX0817W	EVOFX0817Y	EVOFX0817M
21 x 8 mm		1000 pcs	EVOFX0821W	EVOFX0821Y	EVOFX0821M
12 x 9 mm		1600 pcs	EVOFX0912W	EVOFX0912Y	EVOFX0912M
15 x 9 mm		1400 pcs	EVOFX0915W	EVOFX0915Y	EVOFX0915M
20 x 9 mm		1000 pcs	EVOFX0920W	EVOFX0920Y	EVOFX0920M
35 x 9 mm		600 pcs	EVOFX0935W	EVOFX0935Y	EVOFX0935M
15 x 15 mm		840 pcs	EVOFX1515W	EVOFX1515Y	EVOFX1515M
17 x 15 mm		720 pcs	EVOFX1517W	EVOFX1517Y	EVOFX1517M
27 x 15 mm		480 pcs	EVOFX1527W	EVOFX1527Y	EVOFX1527M
50 x 15 mm		240 pcs	EVOFX1550W	EVOFX1550Y	EVOFX1550M
35 x 20 mm		480 pcs	EVOFX2035W	EVOFX2035Y	EVOFX2035M
60 x 20 mm		200 pcs	EVOFX2060W	EVOFX2060Y	EVOFX2060M
22 x 22 mm		400 pcs	EVOFX2222W	EVOFX2222Y	EVOFX2222M
100 x 25 mm		120 pcs	EVOFX25100W	EVOFX25100Y	EVOFX25100M
50 x 25 mm		240 pcs	EVOFX2550W	EVOFX2550Y	EVOFX2550M
80 x 25 mm		120 pcs	EVOFX2580W	EVOFX2580Y	EVOFX2580M
60 x 30 mm		200 pcs	EVOFX3060W	EVOFX3060Y	EVOFX3060M
70 x 30 mm		160 pcs	EVOFX3070W	EVOFX3070Y	EVOFX3070M
80 x 40 mm		60 pcs	EVOFX4080W	EVOFX4080Y	EVOFX4080M
90 x 40 mm		60 pcs	EVOFX4090W	EVOFX4090Y	EVOFX4090M
105 x 50 mm		40 pcs	EVOFX50105W	EVOFX50105Y	EVOFX50105M
50 x 50 mm		120 pcs	EVOFX5050W	EVOFX5050Y	EVOFX5050M
100 x 60 mm		60 pcs	EVOFX60100W	EVOFX60100Y	EVOFX60100M
130 x 60 mm		40 pcs	EVOFX60130W	EVOFX60130Y	EVOFX60130M
240 x 60 mm		20 pcs	EVOFX60240W	EVOFX60240Y	EVOFX60240M
80 x 80 mm		60 pcs	EVOFX8080W	EVOFX8080Y	EVOFX8080M

Industrial Automation


Industrial Plant

Industrial Wiring

Civil System



# POLYESTER LABELS




DIMENSIONS		PACKAGE	WHITE	YELLOW	METAL
	12 x 5 mm	2400 pcs	EVOPET0512W	EVOPET0512Y	EVOPET0512M
	25 x 5 mm	1400 pcs	EVOPET0525W	EVOPET0525Y	EVOPET0525M
	15 x 6 mm	2240 pcs	EVOPET0615W	EVOPET0615Y	EVOPET0615M
	10 x 7 mm	2800 pcs	EVOPET0710W	EVOPET0710Y	EVOPET0710M
	15 x 7 mm	1820 pcs	EVOPET0715W	EVOPET0715Y	EVOPET0715M
	20 x 7 mm	1400 pcs	EVOPET0720W	EVOPET0720Y	EVOPET0720M
	12 x 8 mm	1600 pcs	EVOPET0812W	EVOPET0812Y	EVOPET0812M
	17 x 8 mm	1200 pcs	EVOPET0817W	EVOPET0817Y	EVOPET0817M
	21 x 8 mm	1000 pcs	EVOPET0821W	EVOPET0821Y	EVOPET0821M
	12 x 9 mm	1600 pcs	EVOPET0912W	EVOPET0912Y	EVOPET0912M
	15 x 9 mm	1400 pcs	EVOPET0915W	EVOPET0915Y	EVOPET0915M
	20 x 9 mm	1000 pcs	EVOPET0920W	EVOPET0920Y	EVOPET0920M
	35 x 9 mm	600 pcs	EVOPET0935W	EVOPET0935Y	EVOPET0935M
	15 x 15 mm	840 pcs	EVOPET1515W	EVOPET1515Y	EVOPET1515M
	17 x 15 mm	720 pcs	EVOPET1517W	EVOPET1517Y	EVOPET1517M
	27 x 15 mm	480 pcs	EVOPET1527W	EVOPET1527Y	EVOPET1527M
	50 x 15 mm	240 pcs	EVOPET1550W	EVOPET1550Y	EVOPET1550M
	35 x 20 mm	480 pcs	EVOPET2035W	EVOPET2035Y	EVOPET2035M
	60 x 20 mm	200 pcs	EVOPET2060W	EVOPET2060Y	EVOPET2060M
	22 x 22 mm	400 pcs	EVOPET2222W	EVOPET2222Y	EVOPET2222M
	100 x 25 mm	120 pcs	EVOPET25100W	EVOPET25100Y	EVOPET25100M
	50 x 25 mm	240 pcs	EVOPET2550W	EVOPET2550Y	EVOPET2550M
	80 x 25 mm	120 pcs	EVOPET2580W	EVOPET2580Y	EVOPET2580M
	60 x 30 mm	200 pcs	EVOPET3060W	EVOPET3060Y	EVOPET3060M
	70 x 30 mm	160 pcs	EVOPET3070W	EVOPET3070Y	EVOPET3070M
	80 x 40 mm	60 pcs	EVOPET4080W	EVOPET4080Y	EVOPET4080M
	90 x 40 mm	60 pcs	EVOPET4090W	EVOPET4090Y	EVOPET4090M
	105 x 50 mm	40 pcs	EVOPET50105W	EVOPET50105Y	EVOPET50105M
	50 x 50 mm	120 pcs	EVOPET5050W	EVOPET5050Y	EVOPET5050M
	100 x 60 mm	60 pcs	EVOPET60100W	EVOPET60100Y	EVOPET60100M
	130 x 60 mm	40 pcs	EVOPET60130W	EVOPET60130Y	EVOPET60130M
	240 x 60 mm	20 pcs	EVOPET60240W	EVOPET60240Y	EVOPET60240M
	80 x 80 mm	60 pcs	EVOPET8080W	EVOPET8080Y	EVOPET8080M

Industrial Automation

Industrial Plant

Industrial Wiring

Civil System







# PVC MODULAR STRIPS

Adhesive and non adhesive strips suitable for distribution panel identification. You can manage the module lengths thanks to **SimpleX**. Also available in orange and black version.

## ADHESIVE

For further information:  
[sales@grafoplast.it](mailto:sales@grafoplast.it)  
 +39 0131 718477

DIMENSIONS	PACKAGE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN
445 x 9 mm	60 pcs	SI2K409445W	SI2K409445Y	SI2K409445O	SI2K409445R	SI2K409445U	SI2K409445G
215 x 15 mm	40 pcs	SI2K415215W	SI2K415215Y	SI2K415215O	SI2K415215R	SI2K415215U	SI2K415215G
430 x 15 mm	40 pcs	SI2K415430W	SI2K415430Y	SI2K415430O	SI2K415430R	SI2K415430U	SI2K415430G
215 x 20 mm	40 pcs	SI2K420215W	SI2K420215Y	SI2K420215O	SI2K420215R	SI2K420215U	SI2K420215G
430 x 20 mm	40 pcs	SI2K420430W	SI2K420430Y	SI2K420430O	SI2K420430R	SI2K420430U	SI2K420430G

Industrial Automation Industrial Plant Industrial Wiring Civil System

**PVC** **ADHESIVE** THICKNESS 0.5 mm  $\pm 50^{\circ}\text{C}$   $-10^{\circ}\text{C}$  **CEI 16-7** **ISO 4892-2**

## NON ADHESIVE

DIMENSIONS	PACKAGE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN	SUGGESTED HOLDER
215x15 mm	40 pcs	SI2K15215W	SI2K15215Y	SI2K15215O	SI2K15215R	SI2K15215U	SI2K15215G	SIT0B15/ - page 70
430x15 mm	40 pcs	SI2K15430W	SI2K15430Y	SI2K15430O	SI2K15430R	SI2K15430U	SI2K15430G	SIT0B15/430 - page 70
215x20 mm	40 pcs	SI2K20215W	SI2K20215Y	SI2K20215O	SI2K20215R	SI2K20215U	SI2K20215G	SIT0B20/ - page 70
430x20 mm	40 pcs	SI2K20430W	SI2K20430Y	SI2K20430O	SI2K20430R	SI2K20430U	SI2K20430G	SIT0B20/430- page 70
430x24 mm	40 pcs	SI2K24430W	SI2K24430Y	SI2K24430O	SI2K24430R	SI2K24430U	SI2K24430G	Merlin Gerin

Industrial Automation Industrial Plant Industrial Wiring Civil System

**PVC** THICKNESS 0.5 mm **UL 94**  $\pm 50^{\circ}\text{C}$   $-10^{\circ}\text{C}$  **CEI 16-7** **ISO 4892-2**

## PVC STRIPS

Suitable for BTicino switches.

DIMENSIONS	PACKAGE	WHITE
430 x 12 mm	60 pcs	SI2K855W/430

Industrial Automation Industrial Plant Industrial Wiring Civil System

**PVC** THICKNESS 0.3 mm  $\pm 50^{\circ}\text{C}$   $-10^{\circ}\text{C}$  **CEI 16-7** **ISO 4892-2**

# PVC PLATES

Suitable for external panel, adhesive and non adhesive.  
High quality and long lasting resistance.


## ADHESIVE

For further information:  
sales@grafoplast.it  
+39 0131 718477

DIMENSIONS		PACKAGE	WHITE	GREY	YELLOW	ORANGE	RED	BLUE	GREEN	
	70 x 30 mm	33 pcs	EVO43070W	EVO43070M	EVO43070Y	EVO43070O	EVO43070R	EVO43070U	EVO43070G	
	40 x 40 mm	132 pcs	EVO44040W	EVO44040M	EVO44040Y	EVO44040O	EVO44040R	EVO44040U	EVO44040G	
	90 x 40 mm	22 pcs	EVO44090W	EVO44090M	EVO44090Y	EVO44090O	EVO44090R	EVO44090U	EVO44090G	
	100 x 60 mm	22 pcs	EVO460100W	EVO460100M	EVO460100Y	EVO460100O	EVO460100R	EVO460100U	EVO460100G	
	145 x 60 mm	15 unita	EVO460145W	EVO460145M	EVO460145Y	EVO460145O	EVO460145R	EVO460145U	EVO460145G	
	150 x 60 mm	15 pcs	EVO460150W	EVO460150M	EVO460150Y	EVO460150O	EVO460150R	EVO460150U	EVO460150G	
	500 x 80 mm	14 pcs	EVO480500W	EVO480500M	EVO480500Y	EVO480500O	EVO480500R	EVO480500U	EVO480500G	
Industrial Automation			Industrial Plant			Industrial Wiring		Civil System		

## NON ADHESIVE

DIMENSIONS		PACKAGE	WHITE	GREY	YELLOW	ORANGE	RED	BLUE	GREEN	SUGGESTED HOLDER
	70 x 30 mm	33 pcs	EVO3070W	EVO3070M	EVO3070Y	EVO3070O	EVO3070R	EVO3070U	EVO3070G	SITOV301 - slide
	90 x 40 mm	22 pcs	EVO4090W	EVO4090M	EVO4090Y	EVO4090O	EVO4090R	EVO4090U	EVO4090G	SITOV401 - slide
	100 X 60 mm	22 pcs	EVO60100W	EVO60100M	EVO60100Y	EVO60100O	EVO60100R	EVO60100U	EVO60100G	SITOV601 - slide
	150 X 60 mm	15 pcs	EVO60150W	EVO60150M	EVO60150Y	EVO60150O	EVO60150R	EVO60150U	EVO60150G	-
Industrial Automation			Industrial Plant			Industrial Wiring		Civil System		



## RIBBONS

For further information:  
[sales@grafoplast.it](mailto:sales@grafoplast.it)  
 +39 0131 718477

PACKAGE	BLACK	RED	GREEN	GOLD	SILVER	BLUE	WHITE
1 pc	SI2KSBN/B-S	SI2KRBN/R-S	SI2KRBN/G-S	SI2KRBN/L-S	SI2KRBN/S-S	SI2KRBN/U-S	SI2KRBN/W-S
Length	130 meters	110 meters	110 meters	110 meters	110 meters	110 meters	110 meters




## ACCESSORIES AND SPARE PARTS

ITEM CODE	DESCRIPTION	DRAWING
SI2K0003	Cleaning roller standard Ø 18	
SI2K0006	Print head	
SI2K0013N	Fastener Automatic Feeder (high precision)	
SI2K0013NAD	Plate adapter for tags 30mm	
SI2K0017	Plate for TB tags	
SI2K0021	Plate for cable tags	
SI2K0023	Plate for cable tags 30 mm	
SI2KCLEAN	Cleaning cassette (Length: 8 meter)	



**EVO MAX**



DITTA COSTRUTTRICE:  
**Grafoplast**  
15077 Predosa (AL) ITALY  
Tel. 0131.718477 - Fax 0131.718585  
www.grafoplast.it

TENSIONE NOMINALE		<input type="text"/> V	icc	<input type="text"/> kA
TENS. NOM. ISOLAMENTO		<input type="text"/> V	Frequenza	<input type="text"/> Hz
CORRENTE NOMINALE		<input type="text"/> A	FASI	<b>3P+N+T</b>

**CE**

<b>IP</b>	RIF. COMMESSA	<input type="text"/>
	N° MATRICOLA	<input type="text"/>
	DATA COSTRUZIONE	<input type="text"/>

