




XVA80



CODICE - CODE - ARTIKELNUMMER - CODIGO	M.U.	XVA8000320	XVA80U1320	XVA80U1303
Resa Specifica - Specific heat transmission - Spezifische Leistung - Rendimiento específico	W/K	80	80	80
Alimentazione Power supply - Spannungsversorgung - Tensión	V-ph-Hz	230-1-50/60	230-1-50/60	115-1-60
Altezza / Larghezza / Profondità - Height / Widht / Depth - Höhe / Breite / Tiefe - Altura / Ancho / Profundidad (HxWxD)	mm	1250x311x108	1250x311x108	1250x311x108
Corrente assorbita - Absorbed current - Stromaufnahme - Corriente absorbida	A	0,72 / 0,96	1,3	2,3
Fusibile T - Pre-Fuse T - Absicherung T - Elemento previo de fusibile T	A	2	4	4
Potenza Assorbita - Power consumption - Leistungaufnahme - Potencia absorbida	W	160 / 200	180	230
Portata aria ventil lato armadio, bocca libera - Side cabinet fan flow, free blowing - Luftmenge Schrankseite, freiblasend - Caudal aire ventil Lado armario	m³/h	860	860	860
Limiti Interni Temperatura - Internal Temperature limits - Internen Temperaturgrenzwerte - Limites de temperatura interna	°C	-5 / +55	-5 / +55	-5 / +55
Limiti Temperatura lato Ambiente - Side ambient Temperature limits - Umgebungstemperatur - Limites Temperatura lado ambiente	°C	-5 / +55	-5 / +55	-5 / +55
Protezione lato armadio - Side cabinet protection degree - Schutzgrad Schrankseite - Protección lado armario	IP/Type	55 / -	- / 12	- / 12
Rumorosità - Noise level - Geräuschpegel - Nivel de ruido	dB(A)	76	76	76
Peso - Weight - Gewicht - Peso	kg	20	20	20
Installazione - Installation - Installation - Instalación		Internal/External	Internal/External	Internal/External
Termostato Meccanico - Mechanical Thermostat - Mechanischer Thermostat - Termostato mecánico		No	No	No